

# Akromatic Hydraulic Master Stream Nozzle

## STYLE 5056

This hydraulically actuated nozzle is designed for flows from 350-1000 gpm (1325-3800 lpm) At 100 psi (7 bar) operating pressure.


### Features

This hydraulically actuated nozzle is designed for flows from 350-1000 gpm (1325-3800 lpm) At 100 psi (7 bar) operating pressure.

- Brass Nozzle
- Hydraulic Pattern Control
- 350-1000 gpm (1325-3800 lpm) flow
- 2 1/2" Inlet (65 mm)
- Spinning Teeth
- 9 3/4" long (248 mm)
- 30.5 lbs. (13.8 kg)



### Specifications

Style	5056
Warranty	
Weight	30 1/2 lbs (13.8 kg)
Type	Master Stream
Material	Brass
Brand	Akromatic
Length	9 3/4" (229 mm)
Width	6" (153 mm)
Height	11" (280 mm)

# Akromatic Hydraulic Master Stream Nozzle

**STYLE 5056**

## **Akromatic 1000 Master Stream Nozzle Specifications**

Combination fog and straight stream master stream nozzle with automatic flow mechanism that maintains a consistent pressure throughout a flow range of 350 to 1000 gpm. The nozzle shall have spinning teeth and have a 2 1/2" swivel base.