

*Sometimes Bad Things  
Happen In Tight Places...*



**TOMCAT<sup>®</sup>...**

The new TOMCAT Compact Rescue Vehicle, contrary to popular trends, is getting smaller and smaller. So small it can drive right through the double sliding glass doors of an airport terminal, motor on down city sidewalks, or go anywhere in the tightest, lowest parking garage. But more importantly, it brings to those tight spaces astonishing power, capability, and versatility. It's one of those things you just have to see to believe. Available in gas and electric models.





## *Tight Places...*

From factories to parking garages,  
Stadiums to gritty back alleys,  
Traffic jams to bridges & tunnels,  
Airports to university campuses...



## **TOMCAT<sup>®</sup>** *Compact Rescue Vehicle Brings...*

Astonishing Fire Suppression  
Extrication Hydraulics  
Compressed Air  
Power  
Light  
Confined Space Breathing Air

*Wherever You Need It  
Whenever You Need It*







# TOMCAT<sup>®</sup>

## Compact Rescue Vehicle

*Incredibly Compact.  
Astonishingly Capable.*

- 16 KVA Generator 120V & 240V
- 120V & 240V Electric Cable Reel
- Two 900 Watt Telescopic Floodlights
- Hydraulic Rescue Tool System
- 5,000 PSI DOT Breathing Air Tank
- 26 Ton Air Bag System
- Regulated Breathing/Utility Air Reel
- 30 Gallon CAFS With 50' Reel
- Up To 600 Gallons Finished Foam
- Optional 10' Wilburt Light Tower
- Vantage LSV Chassis- 55HP
- Top Speed 65 MPH- Governed to 25 in U.S.
- 44 MPG Fuel Consumption
- Gasoline or Electric
- Deluxe Automotive Interior
- Plastisol Lightweight Composite Body





**Plastisol**  
Composites  
North America

**FOSTER**  
COMPACT RESCUE APPARATUS

Toll-Free 866-762-8600 or visit [www.FosterRescue.com](http://www.FosterRescue.com)





**TOMCAT<sup>®</sup> SPECIFICATIONS**

**Chassis**

Wheelbase (Inches)	98
Turning Radius	15 Feet
Drive System	4 X 2
GVW	3367
Curb Weight Wet	3015
Engine Displacement	995 cc
Cylinders	4
Engine Horsepower	55
Fuel Tank (Gallons)	10
Cooling	Water
Transmission	5 Speed Manual
Ignition	Electronic
Steering	Rack & Pinion
Braking	Disc & Drum
Suspension - Front	Strut & Coil
Suspension - Rear	Semi-Oval Leaf
Tires	165/70 R13
Top Speed (MPH)	65 Governed To 25

**Equipment**

Generator Engine	Kohler
Generator HP	25
Output - 120V & 240V	16 KVA
Electric Reel - 150'	1
Holmatro Pump	10,000 PSI
Hydraulic Reel - 100'	1 - Core
Holmatro Spreader	Core 4242
Holmatro Cutter	Core 4020
Holmatro Ram	Core 4321
5,000 PSI DOT Cyl.	1
Air Reel - 150'	1
26 Ton Airbags	2
CAFS System	30 GAL
Hose Reel	50'
900 Watt Light Poles	2
Powerlite 10' Tower	3600 Watts
Whelen Siren	1
Whelen Emerg Lights	Package



*Incredibly Compact  
Astonishingly Capable*