

## IMPACT GLOVES

# Honeywell Rig Dog™ Cold Protect Hook & Loop Closure Cuff

Provides improved impact protection and comfort with enhanced grip for handling oily surfaces with EN 511 winter lining for cold environments down to -20°C. Available with hook-and-loop closure or slip-on cuff.

## Overview



Feedback

Tough jobs call for tough gloves. New Rig Dog gloves are made to keep your team safe and in control when handling hazardous oily surfaces; the Rig Dog Cold Protect Glove provides ANSI/ISEA 138 level 2 impact protection and is made to provide A6 cut level protection as well as a level 4 ANSI abrasion to guard against abrasions and enhance the user's grip.

### Features & Benefits:

#### HEAVY-DUTY IMPACT PROTECTION

- The patented Honeywell CoreNest™ technology made from Reinforced TPR (thermoplastic rubber) composite material, increases energy absorption on the back of the hand to provide enhanced impact protection. The Honeywell CoreNest™ is also extended down to the tips of the fingers to provide safety from impacts to the user's fingertips.

#### EXCELLENT OIL GRIP and HIGH-LEVEL CUT PROTECTION

- Multilayer fabrics provide up to an A6 cut resistance, a level 6 abrasion protection (on select models), and an enhanced oil and dry/wet grip to help workers stay confident and in control around oily and sharp hazards.

#### SUPERIOR COMFORT & FLEXIBILITY

- Quick dry and moisture management capability for better sweat control so the gloves are more comfortable to wear during long shifts.

#### WINTER LINER

- fleece insulation layer inside provides protection for cold environments and has an EN 511 level 2 contact cold rating.

#### HOOK AND LOOP CLOSURE CUFF

- For quick donning and doffing

#### Packaging:

Each pair of gloves is individually bagged

# Specifications

## OTHERS

<b>Size</b>	<b>Protection against radioactive contamination (EN 421)</b>	<b>Protection against microorganisms (EN ISO 374-5)</b>
<ul style="list-style-type: none"> <li>• 6, 7, 8, 9, 10, 11</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>
<b>Protection against electrical voltages EN 60903</b>	<b>Protection against ionising radiation (EN 421)</b>	<b>Large quantities of molten metal EN 407</b>
<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• X</li> </ul>
<b>Arc flash protection EN 61482-1-2</b>	<b>Resistance to heat Contact</b>	<b>ISO 13997 Cut Protection</b>
<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• 1</li> </ul>	<ul style="list-style-type: none"> <li>• F</li> </ul>
<b>Touchscreen Compatible</b>	<b>Pesticides (ISO 18889)</b>	<b>Convective heat EN 407</b>
<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• X</li> </ul>
<b>Convective cold EN 511</b>	<b>Cold Protection Rating</b>	<b>Mechanical Protection</b>
<ul style="list-style-type: none"> <li>• 1</li> </ul>	<ul style="list-style-type: none"> <li>• Yes</li> </ul>	<ul style="list-style-type: none"> <li>• Y</li> </ul>
<b>Cut Resistance EN 388</b>	<b>Clean Room Capability</b>	<b>Virus (EN ISO 374-5)</b>
<ul style="list-style-type: none"> <li>• X</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>
<b>Antistatics EN 16350</b>	<b>Puncture Resistance</b>	<b>Contact heat EN 407</b>
<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• 3</li> </ul>	<ul style="list-style-type: none"> <li>• 1</li> </ul>
<b>Contact cold EN 511</b>	<b>Abrasion Resistance</b>	<b>Food certification</b>
<ul style="list-style-type: none"> <li>• 2</li> </ul>	<ul style="list-style-type: none"> <li>• 4</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>
<b>Impact Resistance</b>	<b>Coating Coverage</b>	<b>Tear Resistance</b>
<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• Palm</li> </ul>	<ul style="list-style-type: none"> <li>• 3</li> </ul>
<b>Size Range From</b>	<b>Protection Type</b>	<b>Lining Material</b>
<ul style="list-style-type: none"> <li>• 6</li> </ul>	<ul style="list-style-type: none"> <li>• Cut protection</li> </ul>	<ul style="list-style-type: none"> <li>• HPPE, basalt</li> </ul>
<b>Product Family</b>	<b>Powder Content</b>	<b>Cut Resistance</b>
<ul style="list-style-type: none"> <li>• Rig Dog Cold Protect</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• A6</li> </ul>
<b>Size Range To</b>	<b>Silicone Free</b>	<b>PPE Category</b>
<ul style="list-style-type: none"> <li>• 11</li> </ul>	<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• 2</li> </ul>
<b>OEKO-TEX 100</b>	<b>Liner Color</b>	<b>Cuff Length</b>
<ul style="list-style-type: none"> <li>• Y</li> </ul>	<ul style="list-style-type: none"> <li>• Black</li> </ul>	<ul style="list-style-type: none"> <li>• 300 inch</li> </ul>
<b>Velourised</b>	<b>Glove Type</b>	<b>Cuff Style</b>
<ul style="list-style-type: none"> <li>• N</li> </ul>	<ul style="list-style-type: none"> <li>• Cut protection</li> </ul>	<ul style="list-style-type: none"> <li>• Wristband</li> </ul>
<b>Standards</b>	<b>Cut Style</b>	<b>Washable</b>
<ul style="list-style-type: none"> <li>• EN 420, EN 388, ANSI/ISEA 105</li> </ul>	<ul style="list-style-type: none"> <li>• Cut and Sewen</li> </ul>	<ul style="list-style-type: none"> <li>• Y</li> </ul>
<b>Material</b>	<b>Benefits</b>	<b>Color</b>
<ul style="list-style-type: none"> <li>• Polyester, Spandex, TPR (thermoplastisches Elastomer), Aramid, Glassfiber, Steelfiber, CDP, Polyurethane, TPU, Neoprene, Nylon, Polypropylene</li> </ul>	<ul style="list-style-type: none"> <li>• Impact Protection</li> </ul>	<ul style="list-style-type: none"> <li>• black</li> </ul>
<b>Length</b>	<b>Style</b>	<b>Lined</b>

- up to 300

- 2332903

- Thermal Liner

# Product Number

## SKUs

SKU	DESCRIPTION
43-622BY/10XL	Rig Dog Impact Gloves
43-622BY/11XXL	Rig Dog Impact Gloves
43-622BY/6XS	Rig Dog Impact Gloves
43-622BY/7S	Rig Dog Impact Gloves
43-622BY/8M	Rig Dog Impact Gloves
43-622BY/9L	Rig Dog Impact Gloves

**Honeywell**  
 Safety and Productivity  
 Solutions  
 855 S Mint St  
 Charlotte, NC 28202  
 800-582-4263

**Honeywell Rig Dog™ Cold Protect Hook & Loop closure cuff**  
 © 2023 Honeywell International Inc.  
 All rights reserved.



Feedback

This document was generated on 2023-07-13 12:27:23 AM (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.