

# HONEYWELL NORTH SHORT BRIM HARD HAT

## Why Not Choose Both Quality and Price?

Enhanced performance, all-day comfort, durability – Honeywell North Short Brim Hard Hat combines the heritages of the two world-recognized brands into a new cost-effective, certified head protection solution, with vented and non-vented versions. Stop wondering whether to choose price over quality. Have them both.



Honeywell North Short Brim Hard Hat  
SKU: NSB10001



Honeywell North Short Brim Hard Hat Vented  
SKU: NSB11001

## SET A NEW STANDARD FOR COMFORTABLE PROTECTION

In workplace environments such as industrial or construction sites, high rotations of personnel are common practice and providing dozens of workers with certified head protection can be expensive. Choosing a less known manufacturer, you might get a product with compromised quality, not certified to the latest standards. That would put your workers' safety at risk and bring about possible customer service issues.

Honeywell has designed the North Short Brim Hard Hat to offer your workers certified quality protection, also respecting your budget. Created by Honeywell, a recognized company known for its support, high performance and service, the North Short Brim Hard Hat provides quality protection, increased comfort and a competitive price.

### QUALITY PROTECTION

Made of high-density polyethylene (HDPE), Honeywell North Short Brim Hard Hat is the quality safety solution for all-day wear, protecting against impact and falling or flying objects. If the hard hat isn't well-balanced or moves and slips out of place, it can increase risks and reduce worker productivity. Therefore, Honeywell has designed this hard hat with a four-point ratchet suspension, a dual-locking mechanism and an optional four-point chin strap to customize your fit according to your preferences and prevent the hard hat from getting loose. No matter if you work in extreme heat or cold environments, you'll benefit from the same reliable protection – Honeywell North Hard Hat is resistant to temperatures from -22°F to 122°F (-30°C to +50°C).

### INCREASED COMFORT

Benefit from increased comfort with Honeywell North Short Brim Hard Hat's light material – it is created to weigh up to 14.46 oz. (410 g), hence eliminating neck fatigue and increasing work productivity. Moreover, with an ergonomic design and several adjustment features, it provides an excellent fit for multiple head sizes. Increase your comfort and choose the cooling efficiency you desire with the vented hard hat or benefit from protection against electrical hazards with the non-vented version.

### COMPETITIVE PRICE


When creating the Honeywell North Short Brim Hard Hat, the two brands have combined their extensive market and engineering knowledge and

expertise, as well as many years of experience as leading manufacturers of personal protective equipment (PPE). Honeywell North Short Brim Hard Hat is the new generation of fully certified hard hats providing excellent protection, quality, comfort and a long lifespan, everything for an affordable price. Compatible with Honeywell headgear accessories – face shields, welding and hearing protection – and certified to ANSI, CE/EN, CSA and NOM standards, Honeywell North Short Brim Hard Hat delivers the quality protection you need for the price you expect.



# FEATURES AND BENEFITS

| FEATURE                     | DESCRIPTION                                                                                                                                                                                                                                                                                                                       |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protection                  | <ul style="list-style-type: none"> <li>• Type I</li> </ul>                                                                                                                                                                                                                                                                        |
| Electrical class            | <ul style="list-style-type: none"> <li>• Non-vented version Class E (as per ANSI Z89.1-14)</li> <li>• Vented version Class C (as per ANSI Z89.1-14)</li> </ul>                                                                                                                                                                    |
| Material                    | <ul style="list-style-type: none"> <li>• HDPE - High-density polyethylene</li> </ul>                                                                                                                                                                                                                                              |
| Ergonomic                   | <ul style="list-style-type: none"> <li>• Fits multiple head sizes (6<sup>1/2</sup> to 7<sup>7/8</sup> in - 52 to 63 cm - head circumference)</li> <li>• 4-point Ratchet suspension</li> <li>• Dual-locking mechanism prevents the hard hat to get loose in normal conditions</li> <li>• Optional four-point chin strap</li> </ul> |
| Weight                      | <ul style="list-style-type: none"> <li>• Up to 13.75 oz. (390 g) without the chin strap</li> <li>• Up to 14.46 oz. (410 g) with the chin strap</li> </ul>                                                                                                                                                                         |
| Ventilation                 | <ul style="list-style-type: none"> <li>• Vented (NSB110) and non-vented (NSB100) options</li> </ul>                                                                                                                                                                                                                               |
| High temperature resistance | <ul style="list-style-type: none"> <li>• +50° C</li> </ul>                                                                                                                                                                                                                                                                        |
| Low temperature resistance  | <ul style="list-style-type: none"> <li>• -30° C</li> </ul>                                                                                                                                                                                                                                                                        |
| Compatibility               | <ul style="list-style-type: none"> <li>• Compatible with the following Honeywell PPE adapters:               <ul style="list-style-type: none"> <li>- CP5005 plastic face-shield bracket</li> <li>- 3796VS1 helmet adapter for cap mounted earmuffs</li> </ul> </li> </ul>                                                        |
| Certifications              | <ul style="list-style-type: none"> <li>• ANSI (ANSI Z89.1 – 2014) standard</li> <li>• CE/EN (EN 397:2012 +A1:2012, EN 50365:2002 (non-vented versions) standard</li> <li>• CSA (CSA Z94.1-15) standard</li> <li>• NOM standard</li> </ul>                                                                                         |
| Eight color options         | <ul style="list-style-type: none"> <li>• White</li> <li>• Yellow</li> <li>• Orange</li> <li>• Green</li> <li>• Gray</li> <li>• Black</li> <li>• Red</li> <li>• Dark blue</li> </ul>                                                                                                                                               |
| Industries                  | <ul style="list-style-type: none"> <li>• Construction</li> <li>• Manufacturing</li> <li>• Mining</li> <li>• Oil and gas</li> <li>• Ship building</li> <li>• Traffic safety</li> <li>• Utilities</li> </ul>                                                                                                                        |



## HONEYWELL NORTH SHORT BRIM HARD HAT



White  
NSB10001



Yellow  
NSB10002



Orange  
NSB10003



Green  
NSB10004



Gray  
NSB10009



Black  
NSB10011



Red  
NSB10015



Dark Blue  
NSB10071



Chin Strap  
NSB100CS

## HONEYWELL NORTH SHORT BRIM HARD HAT VENTED



White  
NSB11001



Yellow  
NSB11002



Orange  
NSB11003



Green  
NSB11004



Gray  
NSB11009



Black  
NSB11011



Red  
NSB11015



Dark Blue  
NSB11071



Chin Strap  
NSB100CS

## HONEYWELL NORTH SHORT BRIM HARD HAT ORDERING INFORMATION

| SKU      | DESCRIPTION                                              | MINIMUM ORDER QUANTITY |
|----------|----------------------------------------------------------|------------------------|
| NSB10001 | Honeywell North Short Brim Hard Hat - White              | 20                     |
| NSB10002 | Honeywell North Short Brim Hard Hat - Yellow             | 20                     |
| NSB10003 | Honeywell North Short Brim Hard Hat - Orange             | 20                     |
| NSB10004 | Honeywell North Short Brim Hard Hat - Green              | 20                     |
| NSB10009 | Honeywell North Short Brim Hard Hat - Gray               | 20                     |
| NSB10011 | Honeywell North Short Brim Hard Hat - Black              | 20                     |
| NSB10015 | Honeywell North Short Brim Hard Hat - Red                | 20                     |
| NSB10071 | Honeywell North Short Brim Hard Hat - Dark Blue          | 20                     |
| NSB11001 | Honeywell North Short Brim Hard Hat - Vented - White     | 20                     |
| NSB11002 | Honeywell North Short Brim Hard Hat - Vented - Yellow    | 20                     |
| NSB11003 | Honeywell North Short Brim Hard Hat - Vented - Orange    | 20                     |
| NSB11004 | Honeywell North Short Brim Hard Hat - Vented - Green     | 20                     |
| NSB11009 | Honeywell North Short Brim Hard Hat - Vented - Gray      | 20                     |
| NSB11011 | Honeywell North Short Brim Hard Hat - Vented - Black     | 20                     |
| NSB11015 | Honeywell North Short Brim Hard Hat - Vented - Red       | 20                     |
| NSB11071 | Honeywell North Short Brim Hard Hat - Vented - Dark Blue | 20                     |
| NSB100CS | Honeywell North Short Brim Hard Hat Chin Strap           | 20                     |

### For More Information

[www.safety.honeywell.com](http://www.safety.honeywell.com)  
Technical Service: 800.873.5242

### Honeywell Industrial Safety

300 S Tryon St Suite 500  
Charlotte, NC 28202

US: Tel. 800.430.5490 Fax. 800.322.1330  
Canada: Tel. 888.212.7233 Fax. 888.667.8477

Honeywell Face Protection 05/2020  
© 2020 Honeywell International Inc.

