

Data sheet

ARG 51 FORMOTION**GENERAL**

Art. no.: G-0051-S-L/XXL

EAN: 4030281113584

Standard: EN 358:1999
EN 361:2002

E-class number: 40-02-01-02

Customs tariff number: 63079098

Data sheet

ARG 51 FORMOTION

Decades of experience have gone into the ARG 51 FORMOTION, making it an ideal industrial fall-arrest harness. It meets numerous international standards and can therefore be used worldwide.

- It is easy to put on, thanks to click fasteners.
- The central chest eyelet can be adjusted perfectly, can always be centred thanks to four different buckles, and sits close to the body. This increases the wearing comfort and reduces fall-back risk.
- The ring at the side allows the four straps to move independently of each other. This makes climbing and bending easier.
- The light and flexible back support provides maximum wearing comfort.
- The positioning rings on each side can be folded back, making the descent into narrow manholes easier.

STANDARDS

Internat. standard:

ANSI Z359.1:2007, CSA Z259.10-A/L/P:2006, GB 6095:2009, GOST R 12.4.205:1999, GOST R 12.4.224:1999

FEATURES

Fall indicator

Hand-washing: 40 °C

Gear loop/Tool eyelet

Max. service life: 6-8 Years

Max. number of persons: 1

Max. rated load: 100 kg

D-rings:

Fall Arrest, Sternal, Positioning, Climbing protection eyelet



Patent

Back support: yes

Key locks: yes

Temperature: from -35 °C to 45 °C

MEASUREMENTS / WEIGHT

Weight: 2.98 kg

SIZE

Size: L/XXL

MATERIAL

Strap material: POLYESTER

Chest eyelet material: STAHL

Retaining eyelet material:
STAHL

Rear eyelet material: STAHL

Climbing protection eyelet material:
STAHL
